# LAY DESCRIPTION VERSION OF THE Level of Medical Decision Making (MDM)

### Expansion by AMA Effective January 1, 2023: 99202 - 99215 OFFICE/CLINIC BASED SERVICES

Note: The following is a modification of the original AMA MDM Chart. This chart has been modified to provide more general terms and also include more specifications from the guidelines.

		Elements of Medical Decision Making				
Code	Level of Service (Based on 2 out of 3	Number and Complexity	Work Performed & Analyzed During	Risk of Complications and/or Morbidity or Mortality of		
	Elements of MDM)	of Problems Addressed	the Encounter	Patient Management		
00211	-OR- Time  Directions for this column are noted in each area of risk row. This column is the column that requires scoring. Choose the risk area with the highest score.  NOTE: THIS COLUMN INCLUDES EXAMPLES ONLY!  Services at this level are provided by ancillary staff. *NOTE: Ancillary staff and providers must be employed by the same TAX ID number to meet supervision requirements					
99211	Charle Lufe	, , ,	themaly start and providers must be employed by the same 170 humber to meet supervision	Negligible risk that illness, functional impairment, or organ damage will occur from the		
99202 99212	99202: 15 - 29   99212: 10 - 19	<ul><li>Minimal</li><li>1 negligible or meager problem addressed</li></ul>	Minimal or none Minimal infers the typical work of the encounter, but no additional order, review, or otherwise classified work of the provider to be categorized below	management options and/or treatment plan considered and/or established.  Example ONLY:		
33212	99242: 20	Low	Limited	Follow up PRN		
		• 2 or more negligible or meager problem addressed;	(Must meet the requirements of <u>at least 1 of the 2 categories)</u>	Below average risk that illness, functional impairment, or organ damage will occur from the management options and/or treatment		
		• or	Category 1: Tests and documents (Work commonly associated with E&M services)	plan considered and/or established.		
99203	-01-	<ul> <li>1 stable chronic problem addressed;</li> <li>or</li> </ul>	<ul> <li>Documentation noting 2 of the following were performed:</li> <li>Evaluate external records from an external provider (may not divide per test/per CPT);</li> <li>Example: Review of admission to the ED or IP since previous visit</li> </ul>	Examples ONLY:		
99213	Time:	• 1 acute, direct or well-defined problem addressed or		<ul> <li>Medications NOT requiring prescriptive authority</li> <li>DME</li> </ul>		
	99203: 30 - 44	injury; or	<ul> <li>review of prior test result(s) per unique test, i.e. per CPT- except tests ordered by the rendering provider;</li> <li>Example: PCP reviews testing ordered and performed by the cardiologist</li> </ul>	Physical Therapy		
	99213: 20 - 29 99243: 30	• 1 stable, acute illness;	<ul> <li>ordering imaging, lab, psychometric, physiologic data testing per CPT</li> <li>Example: If the 26 component is NOT billed by the provider- the order can be allowed. However, the</li> </ul>	Consult/Referral without elaboration		
		<ul><li>or</li><li>1 acute, direct or well-defined problem addressed or</li></ul>	<ul> <li>or order and independent interpretation could NOT be combined.</li> <li>Category 2: Encounter including an additional historian(s)</li> </ul>			
		injury requiring inpatient or observation admit	*Documentation: Who is the historian, information historian provided, and best practices- why historian was required			
		Moderate	Moderate  (Must most the requirements of at least 1 out of 3 extension)	Average risk that illness, functional impairment, or organ damage will occur from the management options and/or treatment plan considered		
	Moderate	• 1 (or+) chronic complaint(s) that is not stable, or noted as progressing/worsening, or side effects of treatment;	(Must meet the requirements of <u>at least 1 out of 3 categories)</u> Category 1: Tests, documents, or independent historian(s)	and/or established.		
	-or-	or	<ul> <li>Any combination of 3 from the following: (<u>REFER TO EXAMPLES ABOVE</u>):</li> <li>Evaluate external records from an external provider (may not divide per test/per CPT);</li> </ul>	Examples ONLY:  Initiation, continuation, discontinuation, modification of a		
		• 2 (or+) stable chronic problems addressed;	<ul> <li>review of prior test result(s) per unique test, i.e. per CPT- except tests ordered by the rendering provider;</li> </ul>	medication that requires prescriptive authority		
99204	Time: 99204: 45 - 59	<ul><li>or</li><li>1 new problem undiagnosed potentially high risk;</li></ul>	<ul> <li>ordering imaging, lab, psychometric, physiologic data testing per CPT;</li> </ul>	Decision or consideration of a minor* procedure with documented		
99214	99214: 30 - 39	or	• encounter including an additional historian(s)	<ul> <li>patient or procedure risk factors.</li> <li>Decision or consideration of a major* procedure without</li> </ul>		
	99244: 40	• 1 acute complaint with unanticipated symptoms;	Category 2: Independent interpretation of tests     Rendering provider documents an independent interpretation of a test that has been or will be formally read	documented patient or procedure risk factors.		
		<ul><li>or</li><li>1 acute complex injury</li></ul>	and billed by another provider. A formal report is NOT required (not separately reported);  Example: Provider request Chest Xray- reviews the images and provides an interpretation within the	Documentation indicates that the patients economic or social conditions impact appropriately treating or diagnosing the patient		
		2 deate complex injury	E&M at the time of service that impacts care. Radiology will provide an over-read at a later time which	<ul> <li>Documentation indicates a consult/referral is required for</li> </ul>		
			or will be billed.  Category 3: Discussion of management or test interpretation	consideration of an average risk/moderate risk management		
			Documentation identifying direct dialogue between external providers or other appropriate sources (not	option		
			separately reportable) regarding the management or test interpretation of the patient (asynchronous allowed)  O Example: Provider makes the decision to send the patient to the ED. The provider calls the ED provider to discuss	*AMA: Minor and Major are at the discretion of the provider as documented *CMS: Minor 0-10 global   Major 90 day global		
	High	High	Extensive (REFER TO EXAMPLES ABOVE):	Above average risk that illness, functional impairment, or organ		
		• 1 (or +) chronic problem(s) severely triggered,	(Must meet the requirements of <u>at least 2 out of 3 categories)</u>	damage will occur from the management options and/or treatment plan considered and/or established.		
	-or-	progression, or side effects of treatment; or	Category 1: Tests, documents, or independent historian(s)			
99205	Time:	• 1 acute or chronic problem or injury that places danger/	Any combination of 3 from the following:	<ul> <li>Examples ONLY:</li> <li>Long/short term intensive monitoring to prevent toxicity (NOT</li> </ul>		
99215	99205: 60 - 74	risk to life or bodily function	<ul> <li>Evaluate external records from an external provider (may not divide per test/per CPT);</li> <li>review of prior test result(s) per unique test, i.e. per CPT- except tests ordered by the rendering provider;</li> </ul>	monitoring efficacy)		
33213	99215: 40 - 54		<ul> <li>ordering imaging, lab, psychometric, physiologic data testing per CPT;</li> </ul>	Decision or consideration of a major* procedure with documented     nation or procedure risk factors		
	99245: 55		<ul> <li>encounter including an additional historian(s)</li> </ul>	<ul> <li>patient or procedure risk factors.</li> <li>Decision or consideration of an major* surgery performed with</li> </ul>		
			or Category 2: Independent interpretation of tests	minimal delay/immediate		
			Rendering provider documents an independent interpretation of a test that has been or will be formally read	Decision or consideration for hospitalization or alternative levels     of care		
			and billed by another provider. A formal report is NOT required (not separately reported);	Documentation of election or consideration of DNR status and/or		
			or Category 3: Discussion of management or test interpretation	<ul> <li>de-escalate due to a low chance of recovery</li> <li>Administration of controlled substance via IM, IV, or SubQ</li> </ul>		
			Documentation identifying direct dialogue between external providers or other appropriate sources (not	*AMA: Minor and Major are at the discretion of the provider as documented		
			separately reportable) regarding the management or test interpretation of the patient (asynchronous allowed)	*CMS: Minor 0-10 global   Major 90 day global		



# LAY DESCRIPTION VERSION OF THE Level of Medical Decision Making (MDM)

#### Expansion by AMA Effective January 1, 2023: INPATIENT PLACE OF SERVICE

Note: The following is a modification of the original AMA MDM Chart. This chart has been modified to provide more general terms and also include more specifications from the guidelines.

	Elements of Medical Decision Making							
Code	Level of Service (Based on 2 out of 3	Number and Complexity	Work Performed & Analyzed During	Risk of Complications and/or Morbidity or Mortality of				
Couc	Elements of MDM)	of Problems Addressed	the Encounter	Patient Management				
	-OR- Time		Directions for this column are noted in each area of risk row. This column is the column that requires scoring. Choose the risk area with the highest score.	NOTE: THIS COLUMN INCLUDES EXAMPLES ONLY!				
		No IP Services fall under "minimal". There are other services that fall under SF, but they also fall under Low Level of Complexity as well. The same requirements are required with the exception of 99252 which has a time value of 35 minutes. Refer to the Low Complexity guidelines below.						
99252	Straightforward - or- 35 Minutes	Minimal  • 1 negligible or meager problem addressed	Minimal or none Minimal infers the typical work of the encounter, but no additional order, review, or otherwise classified work of the provider to be categorized below	Negligible risk that illness, functional impairment, or organ damage will occur from the management options and/or treatment plan considered and/or established.  Example ONLY:  • Will Follow up on patient tomorrow   Patient awaiting Discharge				
99221	Low	Low	Limited	Below average risk that illness, functional impairment, or organ				
		<ul><li>2 or more negligible or meager problem addressed;</li><li>or</li></ul>	(Must meet the requirements of <u>at least 1 of the 2 categories)</u> Category 1: Tests and documents (Work commonly associated with E&M services)	damage will occur from the management options and/or treatment				
99231	- or -	• 1 stable chronic problem addressed;	Documentation noting 2 of the following were performed:	plan considered and/or established.				
	99221 = 40 minutes	or	<ul> <li>Evaluate external records from an external provider (may not divide per test/per CPT);</li> <li>Example: Review of previous admission IP</li> </ul>	Examples ONLY:				
99234	99231 = 25 minutes	<ul> <li>1 acute, direct or well-defined problem addressed or injury;</li> <li>or</li> </ul>	<ul> <li>review of prior test result(s) per unique test, i.e. per CPT- except tests ordered by the rendering provider;</li> <li>Example: Cardiology reviews testing ordered by the hospitalist</li> </ul>	<ul> <li>Medications NOT requiring prescriptive authority</li> <li>DME</li> <li>Physical Therapy</li> </ul>				
99253	99234 = 45 minutes	• 1 stable, acute illness;	<ul> <li>ordering imaging, lab, psychometric, physiologic data testing per CPT</li> <li>Example: If the 26 component is NOT billed by the provider- the order can be allowed. However, the</li> </ul>	Consult/Referral without elaboration				
		<ul> <li>or</li> <li>1 acute, direct or well-defined problem addressed or</li> </ul>	<ul> <li>or order and independent interpretation could NOT be combined.</li> <li>Category 2: Encounter including an additional historian(s)</li> </ul>	Awaiting discharge without further treatment plan				
	99253 = 45 minutes	injury requiring inpatient or observation admit	*Documentation: Who is the historian, information historian provided, and best practices- why historian was required					
	Moderate	Moderate	Moderate	Average risk that illness, functional impairment, or organ damage will				
		• 1 (or+) chronic complaint(s) that is not stable, or noted as progressing/worsening, or side effects of treatment;	(Must meet the requirements of at least 1 out of 3 categories)  Category 1: Tests, documents, or independent historian(s)	occur from the management options and/or treatment plan considered and/or established.				
99222	- or -		Any combination of 3 from the following: (REFER TO EXAMPLES ABOVE):	Examples ONLY:				
99232		<ul><li>or</li><li>2 (or+) stable chronic problems addressed;</li></ul>	<ul> <li>Evaluate external records from an external provider (may not divide per test/per CPT);</li> <li>review of prior test result(s) per unique test, i.e. per CPT- except tests ordered by the rendering provider;</li> </ul>	Initiation, continuation, discontinuation, modification of a				
33232	99222 = 55 minutes	or	<ul> <li>review of prior test result(s) per unique test, i.e. per CP1- except tests ordered by the rendering provider;</li> <li>ordering imaging, lab, psychometric, physiologic data testing per CPT;</li> </ul>	<ul> <li>medication that requires prescriptive authority</li> <li>Decision or consideration of a minor* procedure with documented</li> </ul>				
99235	33111 33	• 1 new problem undiagnosed potentially high risk;	• encounter including an additional historian(s)	patient or procedure risk factors.				
33233	99232 = 35 minutes	<ul><li>or</li><li>1 acute complaint with unanticipated symptoms;</li></ul>	Category 2: Independent interpretation of tests	<ul> <li>Decision or consideration of a major* procedure without documented patient or procedure risk factors.</li> </ul>				
99254	99232 - 33 Illillutes	or	Rendering provider documents an independent interpretation of a test that has been or will be formally read     and billed by an arbitrary of the provider of the provide	Documentation indicates that the patients economic or social				
	99235 = 70 minutes	• 1 acute complex injury	and billed by another provider. A formal report is NOT required (not separately reported);  o Example: Provider requests Chest Xray- reviews the images and provides an interpretation within the	conditions impact appropriately treating or diagnosing the patient  Documentation indicates a consult/referral is required for				
			E&M at the time of service that impacts care. Radiology will provide an over-read at a later time which will be billed. The need for independent interpretation (medical necessity) should be included	consideration of an average risk/moderate risk management				
	99254 = 60 minutes		<ul> <li>Category 3: Discussion of management or test interpretation</li> <li>Documentation identifying direct dialogue between external providers or other appropriate sources (not</li> </ul>	<ul> <li>option</li> <li>Leaving AMA without high complexity risk documented</li> </ul>				
			separately reportable) regarding the management or test interpretation of the patient (asynchronous allowed)  © Example: Provider request consult and calls requesting services and discuss the patient with the on call provider					
	High	High	Extensive (REFER TO EXAMPLES ABOVE):	Above average risk that illness, functional impairment, or organ damage will occur from the management options and/or treatment				
99223	High	• 1 (or +) chronic problem(s) severely triggered, progression, or side effects of treatment;	(Must meet the requirements of <u>at least 2 out of 3 categories)</u>	plan considered and/or established.				
	- or -	or	Category 1: Tests, documents, or independent historian(s)	Examples ONLY:				
99233		• 1 acute or chronic problem or injury that places danger/	<ul> <li>Any combination of 3 from the following:</li> <li>Evaluate external records from an external provider (may not divide per test/per CPT);</li> </ul>	Long/short term <i>intensive</i> monitoring to prevent toxicity (NOT)				
33233	99223 = 75 minutes	risk to life or bodily function	<ul> <li>review of prior test result(s) per unique test, i.e. per CPT- except tests ordered by the rendering provider;</li> </ul>	monitoring efficacy)				
	99225 – 75 Illillutes		<ul> <li>ordering imaging, lab, psychometric, physiologic data testing per CPT;</li> </ul>	• Decision or consideration of a major* procedure with documented patient or procedure risk factors.				
99236	00222 - 50		encounter including an additional historian(s)	<ul> <li>Decision or consideration of an major* surgery performed with</li> </ul>				
	99233 = 50 minutes		or Category 2: Independent interpretation of tests	minimal delay/immediate				
			Rendering provider documents an independent interpretation of a test that has been or will be formally read	Decision or consideration for hospitalization or alternative levels     of care				
99255	99236 = 85 minutes		and billed by another provider. A formal report is NOT required (not separately reported);	Documentation of election or consideration of DNR status and/or				
			or Category 3: Discussion of management or test interpretation	de-escalate due to a low chance of recovery				
	99255 = 80 minutes		Documentation identifying direct dialogue between external providers or other appropriate sources (not	Administration of controlled substance via IM, IV, or SubQ				
			separately reportable) regarding the management or test interpretation of the patient (asynchronous allowed)					
			*A	MA: Minor and Major are at the discretion of the provider as documented				

\*CMS: Minor 0-10 global | Major 90 day global



## Medical Decision Making (MDM) Level Tool: EMERGENCY DEPARTMENT SERVICES

#### **EFFECTIVE FOR USE: JANUARY 1, 2023**

Note: The following is the a modification of the original AMA MDM Chart. This chart has been modified to be specific to the ED, add examples to the chart, as well as provide more general terms from the guidelines.

	Elements of Medical Decision Making						
Codo	Level of MDM	Number of Court in	Work Performed & Analyzed During	Risk of Complications and/or Morbidity or Mortality of			
Code	(Based on 2 out of 3 Elements of MDM)	Number and Complexity	the Encounter	Patient Management			
		of Problems Addressed	Directions for this column are noted in each area of risk row. This column is the column that requires scoring. Choose the risk area with the highest score.	NOTE: THIS COLUMN INCLUDES EXAMPLES ONLY!			
99281		Services at this level are provided by ancillary staff. *NOTE: Ancillary staff and providers would need to be employed by the same TAX ID number due to supervision rules					
99282	Straightforward Time-based services are NOT allowed in this place of service	Minimal  ■ 1 negligible or meager problem addressed	None	Negligible risk that illness, functional impairment, or organ damage will occur from the management options and/or treatment plan considered and/or established.  Example ONLY:			
00202		Low	Limited	Follow up with PCP without elaboration  Below average risk that illness, functional impairment, or organ			
99283	LOW	• 2 or more negligible or meager problem addressed;	(Must meet the requirements of at least 1 of the 2 categories)	damage will occur from the management options and/or treatment			
		• or	Category 1: Tests and documents (Work commonly associated with E&M services)	plan considered and/or established.			
	Time-based services are NOT allowed in this place of service	• 1 stable chronic problem addressed; or	<ul> <li>Documentation noting 2 of the following were performed:</li> <li>Evaluate external records from an external provider (may not divide per test/per CPT);</li> <li>Example in ED: previous admissions to the IP or ED</li> </ul>	Examples ONLY:			
		• 1 acute, direct or well-defined problem addressed or injury;	<ul> <li>review of prior test result(s) per unique test, i.e. per CPT- except tests ordered by the rendering provider;</li> </ul>	Medications NOT requiring prescriptive authority			
		or • 1 stable, acute illness;	<ul> <li>Example in ED: previous labs/imaging/diagnostics from other dates of service</li> <li>ordering imaging, lab, psychometric, physiologic data testing per CPT (standing orders MUST be documented)</li> </ul>	DME such as a splint			
		or	or Example in ED: Most test the ED physician does not bill the TC component. If the TC is not billed by the provider- the order can be allowed. However, the order and independent interpretation could NOT be combined	Consult/Referral without elaboration			
		injury requiring inpatient or observation admit	Category 2: Encounter including an additional historian(s): (In Moderate & High, this moves to Category 1)  O Documentation: Who is the historian, information historian provided, and best practices- why historian was required	Leaving AMA without elaboration			
99284	Moderate	Moderate • 1 (or+) chronic complaint(s) that is not stable, or noted as	Moderate (Must meet the requirements of at least 1 out of 3 categories)	Average risk that illness, functional impairment, or organ damage will occur from the management options and/or treatment plan considered			
		progressing/worsening, or side effects of treatment;	Category 1: Tests, documents, or independent historian(s)	and/or established.			
	Time-based services are NOT	or	Any combination of 3 from the following (REFER TO EXAMPLES ABOVE):	Examples ONLY:  Initiation, continuation, discontinuation, modification of a medication			
	allowed in this place of service	• 2 (or+) stable chronic problems addressed;	<ul> <li>Evaluate external records from an external provider (may not divide per test/per CPT);</li> </ul>	that requires prescriptive authority			
		<ul><li>or</li><li>1 new problem undiagnosed potentially high risk;</li></ul>	<ul> <li>review of prior test result(s) per unique test, i.e. per CPT- except tests ordered by the rendering provider;</li> <li>ordering imaging, lab, psychometric, physiologic data testing per CPT;</li> </ul>	Decision or consideration of a minor* procedure with documented patient or procedure risk factors.			
		or	• encounter including an additional historian(s)	Decision or consideration of a major* procedure without patient or procedure risk			
		• 1 acute complaint with unanticipated symptoms;	Category 2: Independent interpretation of tests	factors.			
		• 1 acute complex injury	<ul> <li>Rendering provider documents an independent interpretation of a test that has been or will be formally read and billed by another provider. A formal report is NOT required (not separately reported);</li> <li>Example: ED provider request Chest Xray- reviews the images and provides an interpretation within the E&amp;M at the time of service</li> </ul>	<ul> <li>Documentation indicates that the patients economic or social conditions impact appropriately treating or diagnosing the patient</li> </ul>			
			or that impacts care. Radiology will provide an over-read at a later time which will be billed.	Documentation indicates a consult/referral is required for consideration of an			
			<ul> <li>Category 3: Discussion of management or test interpretation</li> <li>Documentation identifying dialogue between external providers or other appropriate sources (not separately reportable)</li> </ul>	average risk/moderate risk management option			
			regarding the management or test interpretation of the patient (asynchronous allowed)  O Example in ED: ED provider Discuss an patient admission with the hospitalist	*AMA: Minor and Major are at the discretion of the provider as documented *CMS: Minor 0-10 global   Major 90 day global			
99285	High	<ul> <li>High</li> <li>1 (or +) chronic problem(s) severely triggered, progression, or side effects of treatment;</li> </ul>		Above average risk that illness, functional impairment, or organ damage will occur from the management options and/or treatment plan considered and/or established.			
			Extensive (REFER TO EXAMPLES ABOVE):  (Must meet the requirements of at least 2 out of 3 categories)				
	Time-based services are NOT allowed in this place of service	• 1 acute or chronic problem or injury that places danger/risk to life or bodily function	<ul> <li>Any combination of 3 from the following: Category 1: Tests, documents, or independent historian(s)</li> <li>Evaluate external records from an external provider (may not divide per test/per CPT);</li> </ul>	Examples ONLY:			
				Long/short term <i>intensive</i> monitoring- for high risk meds or the			
			<ul> <li>review of prior test result(s) per unique test, i.e. per CPT- except tests ordered by the rendering provider;</li> </ul>	consideration of to prevent toxicity (NOT monitoring efficacy)			
			<ul> <li>ordering imaging, lab, psychometric, physiologic data testing per CPT;</li> <li>encounter including an additional historian(s)</li> <li>or</li> <li>Category 2: Independent interpretation of tests</li> <li>Rendering provider documents an independent interpretation of a test that has been or will be formally read and billed by another provider. A formal report is NOT required (not separately reported);</li> </ul>	Decision or consideration of a major* procedure with documented			
				patient or procedure risk factors.			
				Decision or consideration of an major* surgery performed with minimal delay/immediate			
				<ul> <li>Decision or consideration for hospitalization</li> <li>Documentation of election or consideration of DNR status and/or</li> </ul>			
			or Category 3: Discussion of management or test interpretation	<ul> <li>de-escalate due to a low chance of recovery</li> <li>Administration of controlled substance via IM, IV, or SubQ</li> </ul>			
			Documentation identifying direct dialogue between external providers or other appropriate sources (not separately reportable) regarding the management or test interpretation of the patient (asynchronous allowed)	*AMA: Minor and Major are at the discretion of the provider as documented *CMS: Minor 0-10 global   Major 90 day global			
			separately reportable, regarding the management of test interpretation of the patient (asynchronous anowed)	CIVIS. IVIIIIOI O-TO BIODAI   IVIAJOI SO GAY BIODAI			



#### **Vignettes for 2021 Documentation Guidelines**

\*NOTE\* Vignettes are recommendations only and documentation criteria is required to support the appropriate level of service.

2

3

4

5

### Minimal Complexity & Risk Encounter

Patient present post global/surgical and is recovering well and is discharged from care to follow up as needed in the future.

Patient presents with common cold and is told to return if symptoms worsen and provided reassurances.

### Low Complexity & Risk Encounter

Patient with chronic stable problem presents and medication is refilled.

Patient presents with ear pain which is diagnosed as OM. No systemic symptoms are noted. The patient is prescribed an antibiotic.

Patient is seen and the decision is made to perform a minor procedure.
However an additional chronic problem is also addressed and OTC anti-inflammatory recommended.

### Moderate Complexity & Risk Encounter

Patient w/chronic problem placed on a new RX medication last visit. This visit, it is noted they are not at treatment goals, continue current plan.

Patient presents with a new problem-workup for diagnose is required, but the suspected problem will have substantial duration and PT's function will be limited. The PT is provided RX for pain management

Patient presents with acute onset of respiratory complaints. The patient, diagnosed with URI is having labored breathing. Patient is given an antibiotic.

## High Complexity & Risk Encounter

Patient presents for follow up of DM. Sugars today are 565 and the provider makes the decision to send the patient to the ED. The patient refuses. The provider documents that they recommended advanced care, but the patient refused. The documentation also included the risks to the patient for not receiving advanced care in their condition.

Patient presents w/asthma exacerbation & possible URI, PT is retracting/audible wheezes. O2 provided, first nebulizer, minimal improvement, second nebulizer, air flow returns. RX provided, and emergency protocols revisited. ED visit avoided- and should be documented- if it was considered.

#### **ABOUT THESE VIGNETTES:**

It is important to understand the

## DOCUMENTATION matters

These vignettes have been designed to offer examples of patient care, utilizing Column 1 and Column 3 of the MDM chart, it requires that the documentation include the complexity and risk associated with these categories to support the level of service.

Each example in the vignette has been selected to try and provide the most common scenarios regardless of specialty.

### In order to make the most out of these vignettes, consider a challenge-

Take these vignettes and the AMA MDM chart, and analyze the condition to the MDM chart. Identify why each, utilizing Column 1 & 3 support the levels identified above.

#### Have a question?

Contact us: namas@namas.co 1-877-418-5564